



## Live Audio Equipment

### Flown Arrays & System Support

- 8 JBL VRX932LAP Active 12" Line Array
- 2 JBL SRX828SP Active 18"
  - Dual Subwoofer
- 6 JBL PRX812M 12" Active Monitor
- 1 Soundcraft Si Impact 32Ch Digital Mixer
- 1 Compact 32Ch Digital Stage Box
- 1 Soundcraft Si Dante Card
- 1 House Processing - DBX Venue 360
- 1 WiFi Mobile Device Router –
  - Netgear AC1750
  - (for Soundcraft Si Control Only)
- 1 Apple iPad 3Gen
  - (for Soundcraft Si Control Only)
- 1 BluMe Bluetooth Audio

### Microphone, Stand & Cables

- 6 Shure SM58
- 6 Shure SM57
- 2 Shure SM81
- 1 Shure Beta91A
- 1 Shure Beta52
- 4 Sennheiser E604
- 2 Radial D2 Stereo Di
- 2 Radial Pro DI
- 2 Radial J48 DI
- 6 Amp Mic Stand
- 2 Kick Mic Stand
- 6 Round Base Mic Stand
- 8 Tripod Mic Stand
- 22 25' XLR Mic Cable
- 10 15' XLR Mic Cable
- 2 50' XLR Fan to Fan Sub Snake

Notes: Audio recorded locally as WAV files or mixed in Control Room with video recording; MP3 available upon request; Backline 5-Piece Drum Kit Pearl "Maple Session Custom".

**Video & Stage Production Next Page**

## VIDEO PRODUCTION / LIVE STREAMING EQUIPMENT

Item	Description	Quality	Model number
Tricaster Advanced Mini	Full Control System	1	
JVC PTZ Camera	robotic PTZ IP video production camera	4	KY-PZ100B
NewTek TriCaster Mini Control Surface	Switcher for Video Input	1	NETCMCS
JVC RM-LP100 Remote PTZ Camera Controller over IP	Controller for PTZ Camera	1	RM-LP100
Drobo 5D 15TB 5-Bay Thunderbolt Array (5 x 3TB)	Hard Drive Unit with Hard Drive	1	DRDR5A21-15TB
G-Technology 5TB Spare 5000 Enterprise Hard Drive	Extra Hard Drive	4	DRDR5A21-15TB
Monitor for Tricaster	27 in Multiview for Tricaster	2	
Program/Director Monitor	50 inches	1	Samsung
Streaming Back Up Laptop	2017 Flagship Dell Inspiron 7000 15.6" FHD Gaming Laptop	1	T8TJG
Blackmagic Design Smart Videohub 20 x 20 Hd-Sdi	Main Video Router	1	VHUBSMART6G2020
Miscellaneous Notes: Infrastructure for full Broadcast Truck and Camera Crew Integration with fiber, HDSDI and analog tie lines. Capability to add up to 4 HDSDI cameras.			

## **LIGHTING**

ChamSys MagicQ MQ40N Console – Remote Controlled

Five (5) Ovation F-165WW LED Fresnel

Twelve (12) Chauvet COLORado 2 Solo Zooming RGBW LED wash

## **VIDEO WALL – BACKDROP FOR 12' X 24' STAGE (LIVE STAGE VIEWING OR RECORDED GRAPHIC MATERIAL)**

Permanently installed 20' x 10' Video Wall by Oracle LED Systems

- 4.8MM pixel pitch Black Widow Panel with an enhanced refresh rate to accommodate full motion video backdrops while presenting well on camera.
- The 4.8MM panels have a black background to provide rich contrast while minimizing glare on camera. The viewing angle is ideal from 140 degrees off axis in any direction.
- Video is processed by a Novastar VX4S All-In-One Scaler and Processor which features powerful front-end processing, so an external scaler is no longer needed.
- The ideal video raster size for custom content is 864 pixels wide by 432 pixels tall however the processor will scale non-conforming content.

Laptop control with remote available for PowerPoint presentations.